



U.S. ENVIRONMENTAL PROTECTION AGENCY  
 Office of Pesticide Programs  
 Registration Division (7505P)  
 1200 Pennsylvania Ave., N.W.  
 Washington, D.C. 20460

EPA Reg. Number:

84009-29

Date of Issuance:

9/6/17

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
 (under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Quick Acting Weed Killer Concentrate

Name and Address of Registrant (include ZIP Code):

Arianna Shorey  
 Agent for Ragan and Massey, Inc.  
 c/o Pyxis Regulatory Consulting, Inc.  
 4110 136<sup>th</sup> St. Ct. NW  
 Gig Harbor, WA 98332

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. Submit one copy of the revised final printed label for the record before you release the product for shipment.

*Continued on page 2*

Signature of Approving Official:

Debra Rate, Acting Product Manager 25  
 Herbicide Branch, Registration Division (7505P)

Date:

9/6/17

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSF:

- Basic CSF dated 05/09/2017

If you have any questions, please contact Mindy Ondish by phone at 703-605-0723, or via email at [ondish.mindy@epa.gov](mailto:ondish.mindy@epa.gov).

Attachment

*[EDITOR'S NOTE] – For use with conventional sprayers. Optional market language denoted with italicized text.  
 [Note to reviewer: [Text] in brackets denotes optional text].  
 [Note to reviewer: {Text} in braces denotes where in the final label text will appear.]*

**{BOOKLET FRONT PANEL LANGUAGE}**

**Quick Acting Weed Killer Concentrate**

**ACTIVE INGREDIENT:**

\*Glyphosate, isopropylamine salt ..... 18.00%  
 \*\*Diquat dibromide.....0.73%  
 OTHER INGREDIENTS: ..... 81.27%  
 TOTAL:..... 100.00%

\*Contains 1.19 lbs (13.34%) glyphosate acid per US gallon.  
 \*\*Contains 0.065 lbs diquat dibromide per US gallon.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information concerning this product call your poison control center at 1-800-222-1222.	


EPA Reg. No. 84009-29

EPA Est. No. xxxxxx-xx-xxx

NET CONTENTS: \_\_\_\_\_ qt (\_\_\_\_\_ L)

*Makes up to 'X' gallons  
 Makes between 'X - Y' gallons [X = net content/3] [Y = net contents/6]  
 Mix with water to make 'X' gallons of spray solution  
 Treats [covers] up to 'X' sq. ft area*

MANUFACTURED BY:  
 Ragan and Massey, Inc.  
 101 Ponchatoula Parkway  
 Ponchatoula, LA 70454



# {LANGUAGE INSIDE BOOKLET}

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

### ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

### PHYSICAL OR CHEMICAL HAZARDS

Do Not Mix Or Allow Contact With An Oxidizing Agent. A Hazardous Chemical Reaction May Occur.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### WHERE TO USE

On patios, walkways, driveways, gravel or mulch beds  
Around flowers [flower beds], shrubs or trees  
On driveways & walkways  
Along fences  
In large areas – For lawn replacement, for garden plot preparation\*

\*IMPORTANT: While Quick Acting Weed Killer Concentrate may be used to prepare a vegetable garden for planting, DO NOT USE for spot weed treatment after planting [any] fruits or vegetables or damage will occur.

### AMOUNT TO USE

For best results:

- Add 3-6 fl. oz. [12 TBS] per gallon of water (use the higher rate for larger weeds)
- Apply on warm days in bright sunlight
- For easy to kill weeds such as [small] seedlings, add 3 fl. oz. [6 TBS] per gallon [to 1 gallon] of water

## MIXING INSTRUCTIONS

### Tank [Pump-Up] Sprayer:

Use a plastic, fiberglass, plastic-lined steel or stainless steel sprayer. Do not mix, store or apply in [with] a galvanized or unlined steel sprayer [container].

For tough established weeds and for best results, add [measure] 6 fl oz [12 Tbs] to [per] [1] gallon of water.

Spot treat or spray evenly over 300 sq ft.

### Hose-End Sprayer:

For large areas consider using the Ortho® Dial 'n Spray® with the dial set to 4 - 6 fl. oz.

To sprayer jar add 4 - 6 fl oz [8 - 12 Tbs] for each 300 sq ft. DO NOT add water. Spray evenly over measured area.

After spraying, unused product can be poured back into its original container.

## HOW TO CLEAN SPRAYER

To clean sprayer after use, rinse sprayer and all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

## HOW IT WORKS

Quick Acting Weed Killer Concentrate is absorbed by the weed's leaves. It moves through the weed to the root, stopping the function of an essential enzyme found in plants (but not humans or animals). Weeds die, roots and all - so weeds don't grow back. Kills only what you spray. Any product not absorbed by the plant will be deactivated after it hits the soil. [Weeds usually yellow and wilt within hours with complete kill in 1 to 2 weeks.]

*[ALTERNATE TEXT] Quick Acting Weed Killer Concentrate enters plants through foliage and moves systemically to the roots, killing weeds by stopping the function of a substance found in plants (but not humans or animals). Any Quick Acting Weed Killer Concentrate not absorbed by plants will be deactivated after it hits the soil. Weeds usually yellow and wilt within hours with complete kill in 1 to 2 weeks.*

## HOW TO SPRAY

- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot-treating weeds around desirable plants, shield plants from drift with a sheet [piece] of cardboard or plastic.
- If desirable plants are accidentally sprayed, rinse off immediately with water [or cut off treated area].

**IMPORTANT:** Do not spray plants or grasses you like - they will die. Do not use for spot weed control in lawns since Quick Acting Weed Killer Concentrate kills lawn grasses.

## WHEN TO APPLY

Apply when weeds are actively growing. [Use anytime weeds and grasses are actively growing.]

For best [fastest visual] results, apply during warm, sunny weather (above 60° F) [to accelerate systemic movement from foliage to roots.]

Apply when air is calm to prevent drift to desirable plants.

**RAINPROOF Protection:** Rain or watering 30 minutes after application will NOT wash away effectiveness.

*[OPTIONAL TEXT] Apply when weeds are small and before seeds form. Established [Hard to kill] weeds may require a repeat application.*

## APPLICATION RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only the person applying this product may be in the area during application.
  - Do not [mix, store or] apply with [in] a galvanized or unlined steel [except stainless steel] sprayer.
  - Do not apply through any irrigation system.
  - **DO NOT USE** for spot weed treatment after planting [any] fruits or vegetables.
- Do not allow people and pets to enter treated areas until spray has dried.

## WHEN TO REPLANT

All ornamental flowers, trees and shrubs may be planted 1 day after application.

Lawn grasses, herbs, vegetables [all], and fruits may be planted 3 days after application.

## ADDITIONAL USES

### To Kill Vines

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and tree trunks from spray drift with a sheet [piece] of cardboard or plastic.

### To Kill Stumps

- Cut living stump close to ground.
- Drive [drill] 4 to 5 holes into freshly cut stump.
- Immediately pour undiluted product into holes.

**IMPORTANT:** Some trees may share the same root system. Adjacent trees having a similar age, height and spacing may signal a shared roots system. Injury may occur to non-treated trees when one or more trees sharing common roots are treated.

### To Kill Kudzu

- For best results, apply in mid to late summer when vines are mature and actively growing.

### To Kill Wild Blackberry

- Spray anytime plants are actively growing.
- Dead canes should be cut down and removed.
- Reapplication is often required to kill deep roots.

### To Kill Poison Ivy & Poison Oak

- Contact with these plants anytime of the year can cause an allergic reaction.
- Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply, if new growth appears.
- Handle dead plants with rubber gloves.
- Dispose of plants and rubber gloves in tightly sealed garbage bags.

### For Lawn Replacement

Use Quick Acting Weed Killer Concentrate to kill a [an old] [an unwanted] lawn and [its] weeds before planting a new lawn [OR prior to laying a patio, sidewalk, or driveway].

*[ALTERNATE TEXT]*

*For lawn replacement use Quick Acting Weed Killer Concentrate to kill lawn and weeds before planting new lawn.*

- Skip one mowing before spraying.
- Use 6 fl oz [12 Tbs] per gallon of water for each 300 sq. ft. Apply evenly over treatment area.
- If soil is dry, water before application and 2 to 3 days after application.
- If green patches remain after 7 days, reapply.
- Wait [at least] 3 days after last application to rake, till or replant with seed or sod.
- *[Alternate text] Wait [at least] 3 days for weeds and lawn to die. Repeat if necessary. Rake or till to prepare area for planting seed or sod.*

### For [Flowerbed and] Garden [Plot] Preparation

- Use Quick Acting Weed Killer Concentrate to kill weeds, grasses and [brush] before planting flowers, fruits, vegetables, trees or shrubs.
- If soil is dry, water before application and 2 to 3 days after application.
- Use 6 fl oz [12 Tbs] per gallon of water for each 300 sq. ft. Apply evenly over treatment area.
- Wait 1 to 3 days after last application before planting garden. [See When to Replant section for details.]

*[Optional Weed List] KILLS ALL TYPES OF WEEDS & GRASSES*

*Weeds [including]: Artichoke thistle, beggarweed, black medic, blue mustard, blue toadflax, brassbuttons, broadleaf plantain, burclover, buttercup, Canada thistle, cattail, chickweed, cocklebur, common groundsel, common mullein, common plantain, common ragweed, creeping beggarweed, creeping-charlie, curly dock, dandelion, dog fennel, evening primrose, false dandelion, fiddleneck, field bindweed [wild morningglory], field pennycress, filaree, Florida pusley, garden spurge, henbit, horsenettle, horseradish, horseweed/marestail, iceplant, knapweed, knotweed, lambsquarters, lantana, little bittercress, London rocket, mallow, mayweed, milkweed, mouseear chickweed, narrowleaf [buckhorn] plantain, nightshade [silverleaf], oldenlandia, oxalis, Pennsylvania smartweed, pennywort, poison hemlock, prickly lettuce, primrose, prostrate spurge, puncturevine, ragweed, red clover, redroot pigweed, shepherdspurse, smooth catsear,*

*smooth pigweed, sowthistle, spotted spurge, tansy ragwort, tansymustard, teaweed, trumpetcreeper, tumble mustard, Virginia creeper, white clover, whitetop, wild barley, wild mustard, wild oats, wild sweet potato, yellow starthistle, and other broadleaf weeds.*

*Grasses [including]: Annual bluegrass, annual ryegrass, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, bromegrass, Cogongrass, crabgrass, creeping bentgrass, dallisgrass, fall panicum, fescue, field sandbur, foxtail, goosegrass, guineagrass, Johnsongrass, Kentucky bluegrass, kikuyugrass, lovegrass, maidencane, nimblewill, nutsedge, orchardgrass, pampas grass, perennial ryegrass, purple nutsedge, quackgrass, sandspur, smooth bromegrass, sprangletop, St. Augustinegrass, tall fescue, Texas panicum, Timothy, torpedograss, vaseygrass, witchgrass, yellow nutgrass, zoysia and other grassy weeds.*

*Brush [Tough Weeds], Unwanted Trees, Shrubs & Vines [including]: Alder, ash, [quaking] aspen, blackberry, bluegum eucalyptus, broom [French, Scotch], buckwheat, ceanothus, chamise, cherry, coyote brush, dewberry, elderberry, elm, eucalyptus, giant reed, hawthorn, hazel, honeysuckle, kudzu, locust, madrone, maple, oak, persimmon, poison oak, poison ivy, poplar, raspberry, sage, sagebrush, salmonberry, saltcedar, sassafras, sumac, sweetgum, tan oak, thimbleberry, tree tobacco, wild rose [multiflora] willow and other tough weeds.*

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container only in a safe place away from direct sunlight.

PESTICIDE DISPOSAL: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available.

CONTAINER IS NOT SAFE FOR FOOD, FEED OR DRINKING WATER.

#### CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Ragan and Massey, Inc. or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Ragan and Massey, Inc. and Seller harmless for any claims relating to such factors.

Ragan and Massey, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under

conditions not reasonably foreseeable to or beyond the control of Seller or Ragan and Massey, Inc., and Buyer and User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, RAGAN AND MASSEY, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, neither Ragan and Massey, Inc. nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF RAGAN AND MASSEY, INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF RAGAN AND MASSEY, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

Ragan and Massey, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Ragan and Massey, Inc.

APPENDIX 1 - [Ordered alphabetically] OPTIONAL MARKETING STATEMENTS

- Absorbed into both broadleaf and grassy weeds
- Absorbs on contact, starts working immediately
- Also use for large jobs such as lawn renovation and vegetable and flower garden preparation
- Apply with tank sprayer, or a [hand held] trigger sprayer
- Approved for most [many] lawn and garden uses
- Before [weed graphics] / After [weed graphics]
- Begins absorbing on contact
- Can be used for habitat restoration, controlling exotic vegetation, and for site preparation of wildlife food plots
- Can reseed or sod lawns 7 days after treatment
- Can be used on patios, walkways, and driveways; along fences; in landscaping beds; or around flowers, shrubs and trees
- Concentrated for extra value
- Concentrated formula
- Deactivates in soil
- Does not have soil activity
- Economical
- Economical concentrate formula
- Easy to apply with an Ortho Dial 'n Spray®, hose-end, tank or [hand held] trigger sprayer
- Eliminates roots and weeds
- Fast Acting
- Fast-acting formula
- Fast-acting formula absorbs to root more quickly
- Fast-acting for visible results in 12 hours
- For control that doesn't [won't] wash away
- For weed control - kills weeds and grasses in 1 to 2 weeks - roots and all
- For Outdoor Use around the Home
- For use [with] [in] [sprayer delivery name]
- For Use on Borders, Around Patios, Driveways, and Sidewalks
- Glyphosate targets an enzyme found in plants but not in people or pets Ideal for killing unwanted weeds and grasses throughout your yard.
- Kills over 200 types of weeds and grasses, roots and all
- Kills almost all [annual and perennial] weeds, grasses and other unwanted plants
- Kills existing weeds only, no residual activity in soil
- Kills more weeds in more places.
- Kills [to] the root[s]!
- Kills [the toughest weeds and grasses] the root so weeds [they] don't come back
- Kills the roots of [both] broadleaf and grassy weeds o Kills the roots so treated weeds don't come back
- Kills the weed you see and the root you don't
- Kills the weed you see and the root others leave behind
- Kills unwanted weeds and grasses, roots and all
- Kills weeds and grasses in - Patios - Driveways - Sidewalks - Ornamental Gardens and other non-lawn areas
- Kills weeds in flowerbeds, around trees, shrubs and fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, driveways, and other areas in your yard
- Kills weeds, roots and all
- Kills [all types of] weeds and grasses and brush
- Kills tough weeds
- Kills Weeds & [and] Grasses [down to the root]
- Kills the root
- Kills over [XXX] types of weeds
- Lawns and gardens can be reseeded or planted soon after treatment

- *Make only what you need*
- *Mix into tank sprayer*
- *Multipurpose grass and broadleaf weed control*
- *Next day [this weekend] results: Begins killing on contact, visible results in 12 hours.*
- *No odor*
- *No root. No weed. No problem*
- *Non-Selective: Kills weeds & grasses*
- *Once it enters the plant, it won't wash off*
- *One application kills over 200 types of weeds and grasses, roots and all [maximum effectiveness]*
- *Ornamental gardens can be reseeded or planted 1 day after treatment*
- *Proven [trusted] performance*
- *Provides maximum control: Kills weeds to the root so they don't ever come back*
- *Quick-action formula lets you see results fast*
- *RainFast in hours - enters the plant on contact*
- *Replant [lawn grasses, herbs, vegetables [all], and fruits] 3 days after application*
- *Same effective results even if it rains within hours*
- *Single application controls [kills] most weeds*
- *Spray weeds until thoroughly wet*
- *Starts to work immediately*
- *This Quick Acting Weed Killer Concentrate formula targets an enzyme found in plants, but not in people or pets*
- *[Use] For Brush Control*
- *[Use] For Weed Control: Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, ornamental plantings, flowerbeds, and buildings, and in brick and gravel walkways.*
- *Use for large jobs like garden plot preparation and lawn replacement [renovation]*
- *[Use] For Lawn Renovation*
- *Use to trim and edge landscape areas.*
- *[Use] For Spot Spraying: Use in and around flowerbeds, ornamental trees, shrubs, fences, driveways and walkways*
- *[Use] For Stumps*
- *Use to prepare sites: for large plantings, for planting flowerbeds, fruit trees, ornamentals, vegetables and gardens, and for renovating lawns*
- *Use as a spot treatment along sidewalks, fences, driveways, and patios*
- *Use along fences; in cracks of walks, drives and patios; and around flower beds, trees and shrubs*
- *Visible effects are gradual wilting and yellowing advancing to complete browning and root destruction.*
- *[Provides] Visible [see] results in [24 hours] [days]*
- *Visible Results in Hours*
- *Water based formula*
- *Weed Eliminator*
- *Weed Killer*

For California:

 **WARNING:** Cancer – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

For California:

 **WARNING:** This product can expose you to chemicals including glyphosate, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EPA APPROVAL DATE